





Engineers
Communication Checklist

The importance of early communication

Planning and creating a rubber seal, gasket or moulding to fit with your product application requires significant efforts and collaboration between engineers, production teams, material technologists and the manufacturer.

We can't emphasise the importance of early, quality communication enough.

The time and cost pressures on engineers today are higher than ever. By communicating early and thoroughly with your chosen manufacturer you will have the best chance of saving time, reducing costs and gaining a competitive advantage.

On the contrary – by leaving your choice of material, profile and manufacturing process until too late in the production cycle, you could be forced to choose an out-of-the-catalogue product which compromises product performance. Or it could result in eleventh-hour development of a specialised moulding resulting in delays to market entry and higher costs overall.

In addition we also understand that for an engineer to be able to explain work clearly and convincingly, it is crucial to communicate the thought process behind the work, be it with your team, business or clients. We trust this handy checklist will play a part in helping you do just that.

Finished production moulding after product modifications

moulding

Utilising our 3-d or prototyping service in the pre-manufacturing phase makes sure your moulding is fit for purpose and helps identify any flaws before proceeding to the tooling



sealing? he to ar	sking this question elps point the way owards choice of n injection, transfer r compression noulding process.	 What is the part geometry? Consider use of videos and pictures in addition to part drawings. What other materials will be part of the application? What is the overall mechanical requirement of the application in which the seal or moulding will operate?
sealing? in of cc w pe ch th in	ubber comes n a wide variety f forms and ompounds, all vith different erformance haracteristics and nis helps to make nitial material hoices.	 What problems are you trying to solve? Vibration, Leakage, Protection (Dust, Magnetic interference, Chemicals, Water, Solvents) Is there a requirement for rubber to metal bonding or could this help strengthen the product?
the expected performance characteristics of m	is important to nderstand all the arameters that night influence your eal or moulding.	 Type of motion experienced by the application. Which of the following conditions will the seal work under and for how long? Static/Dynamic. Displacement and flexibility in respect to rubber hardness characteristics. Required Tolerances – only where required and avoiding defaulting to metallic, machined or turned parts. Fluids. What fluids will the seal be exposed to in both its primary use but also when being cleaned or lubricated, for example? Temperature. What temperature ranges will the seal need to work under, both hot and cold? What is the importance of temperature performance in relation to other factors? Contaminants. What abrasive external contaminants might the seal be exposed to? Ozone. Will there be a presence of ozone which can attack rubber? Processes. Will the rubber be exposed to processes such as sterilisation by gas, autoclaving or radiation? Light. Will the rubber be exposed to ultra-violet or direct sunlight? Outgassing. Will the rubber be exposed to the potential for outgassing in vacuum applications? Water. Will the seals be exposed to water? Pressure. What pressures will the seal work under, both low and high? Friction. What level of friction will the seal be exposed to? Quality. What quality of finish is required and what are the key priorities? Will all elements of the part require the same level of quality?

Key Questions	How this helps	Things you should consider
What timescale are you working to?	Getting your product to market in a timely and efficient manner.	 3D printing & rapid prototyping can help in identifying faults and allow you to try out different versions of your product. By doing this, the development process can be speeded up significantly.
What are the budget parameters?	It is important to understand your short or long term planning approach to help get the best return on your investment.	 Choice of material may increase upfront costs but help improve product lifespan to deliver an improved ROI. Is there a requirement for the re-use of moulds & tooling? Volume/Quantity of parts, repeat order requirements and batch consistency into the future.



You can find out everything you need to know about DP Seals

– and probably a whole lot more – on our website:

www.dpseals.com

Chemical Compatibility Database, articles, free downloads, whitepapers, newsletters and press releases.



Dawkins Road, Poole, Dorset BH15 4JY United Kingdom. Telephone: +44(0)1202 674671 Email: info@dpseals.com